



HIV Recommended Queries

NCHHSTP Atlas

National Center for HIV/AIDS, Viral Hepatitis, STD and TB Prevention



The **NCHHSTP Atlas** is an online, interactive tool that gives you the power to analyze, map, and create tables using HIV, STD, viral hepatitis, and TB data that are reported to CDC.



Using the **NCHHSTP Atlas**, you can:

- Create custom maps and bar graphs using HIV, STD, viral hepatitis, or TB data (**NCHHSTP Atlas** has 15 disease variables to explore);
- Compare two or more diseases (e.g., HIV and TB);
- Explore data by population groups and categories (e.g., by race, age group or sex);
- Display changes over time and patterns across the United States (**NCHHSTP Atlas** has 15 years of data for most variables);
- Examine multiple areas (e.g., VA, MD, and DC); and,
- Download data and export graphics.

The **NCHHSTP Atlas webpage** also provides the most recent data on poverty, education and other important measures of social determinants of health that are important to NCHHSTP's mission.


HIV diagnoses (2014)

All races/ethnicities | Both sexes | 2014 | Adults and adolescents | All transmission categories | By State



Legend classified using quantiles according to 2014 data.

National Data By Race/ethnicity




Disclaimer: This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.

Data Source: Query and graphics are based on state or county-level HIV surveillance data. Data may include a combination of the following: HIV infection or stage 3 (AIDS) diagnoses, deaths among persons with HIV infection or stage 3 (AIDS), or persons living with HIV infection or stage 3 (AIDS); by area, year, race/ethnicity, sex, age group, and transmission category; shown in numbers and rates.

Notes: All displayed diagnoses of HIV infection and diagnoses of infection classified as stage 3 (AIDS) data have been statistically adjusted to account for reporting delays, but not for incomplete reporting. **For more info, see:** [HIV Surveillance Technical Notes](#). **Suggested citation:** Centers for Disease Control and Prevention (CDC) [NCHHSTP Atlas](#). Accessed on 01/13/2016.


HIV diagnoses (2014)

All races/ethnicities | Both sexes | Change over time (2008-2014) | Adults and adolescents | Male-to-male sexual contact | By State



Legend classified using quantiles according to 2008-2014 data.

National Data By Year





Disclaimer: This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.

Data Source: Query and graphics are based on state or county-level HIV surveillance data. Data may include a combination of the following: HIV infection or stage 3 (AIDS) diagnoses, deaths among persons with HIV infection or stage 3 (AIDS), or persons living with HIV infection or stage 3 (AIDS); by area, year, race/ethnicity, sex, age group, and transmission category; shown in numbers and rates.

Notes: All displayed diagnoses of HIV infection and diagnoses of infection classified as stage 3 (AIDS) data have been statistically adjusted to account for reporting delays, but not for incomplete reporting. **For more info, see:** [HIV Surveillance Technical Notes](#). **Suggested citation:** Centers for Disease Control and Prevention (CDC) [NCHHSTP Atlas](#). Accessed on 01/13/2016.


HIV diagnoses (2014)

Black/African American | Both sexes | 2014 | Adults and adolescents | All transmission categories | By State



Legend classified using quantiles according to 2014 data.

National Data By Sex





Disclaimer: This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.

Data Source: Query and graphics are based on state or county-level HIV surveillance data. Data may include a combination of the following: HIV infection or stage 3 (AIDS) diagnoses, deaths among persons with HIV infection or stage 3 (AIDS), or persons living with HIV infection or stage 3 (AIDS); by area, year, race/ethnicity, sex, age group, and transmission category; shown in numbers and rates.

Notes: All displayed diagnoses of HIV infection and diagnoses of infection classified as stage 3 (AIDS) data have been statistically adjusted to account for reporting delays, but not for incomplete reporting. **For more info, see:** [HIV Surveillance Technical Notes](#). **Suggested citation:** Centers for Disease Control and Prevention (CDC) [NCHHSTP Atlas](#). Accessed on 01/13/2016.


HIV diagnoses (2014)

Hispanic/Latino | Both sexes | 2014 | Adults and adolescents | All transmission categories | By State



Legend classified using quantiles according to 2014 data.

National Data By Sex




Disclaimer: This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.

Data Source: Query and graphics are based on state or county-level HIV surveillance data. Data may include a combination of the following: HIV infection or stage 3 (AIDS) diagnoses, deaths among persons with HIV infection or stage 3 (AIDS), or persons living with HIV infection or stage 3 (AIDS); by area, year, race/ethnicity, sex, age group, and transmission category; shown in numbers and rates.

Notes: All displayed diagnoses of HIV infection and diagnoses of infection classified as stage 3 (AIDS) data have been statistically adjusted to account for reporting delays, but not for incomplete reporting. **For more info, see:** [HIV Surveillance Technical Notes](#). **Suggested citation:** Centers for Disease Control and Prevention (CDC) [NCHHSTP Atlas](#). Accessed on 01/13/2016.

Persons living with HIV, stage 3 (AIDS) (2013)

All races/ethnicities | Female | 2013 | Adults and adolescents | All transmission categories | By State




Rate per 100,000 among selected population



Legend classified using quantiles according to 2013 data.

National Data By Age Group




Disclaimer: This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.

Data Source: Query and graphics are based on state or county-level HIV surveillance data. Data may include a combination of the following: HIV infection or stage 3 (AIDS) diagnoses, deaths among persons with HIV infection or stage 3 (AIDS), or persons living with HIV infection or stage 3 (AIDS); by area, year, race/ethnicity, sex, age group, and transmission category; shown in numbers and rates.

Notes: All displayed diagnoses of HIV infection and diagnoses of infection classified as stage 3 (AIDS) data have been statistically adjusted to account for reporting delays, but not for incomplete reporting. **For more info, see:** [HIV Surveillance Technical Notes](#). **Suggested citation:** Centers for Disease Control and Prevention (CDC) [NCHHSTP Atlas](#). Accessed on 01/13/2016.

Persons living with diagnosed HIV (2013)

All races/ethnicities | Both sexes | 2013 | Adults and adolescents | All transmission categories | By County




Rate per 100,000 among selected population



Legend classified using quantiles according to 2013 data.

National Data By Race/ethnicity




Disclaimer: This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.

Data Source: Query and graphics are based on state or county-level HIV surveillance data. Data may include a combination of the following: HIV infection or stage 3 (AIDS) diagnoses, deaths among persons with HIV infection or stage 3 (AIDS), or persons living with HIV infection or stage 3 (AIDS); by area, year, race/ethnicity, sex, age group, and transmission category; shown in numbers and rates.

Notes: All displayed diagnoses of HIV infection and diagnoses of infection classified as stage 3 (AIDS) data have been statistically adjusted to account for reporting delays, but not for incomplete reporting. **For more info, see:** [HIV Surveillance Technical Notes](#). **Suggested citation:** Centers for Disease Control and Prevention (CDC) [NCHHSTP Atlas](#). Accessed on 01/13/2016.

Persons living with diagnosed HIV (2013)

Black/African American | Both sexes | 2013 | Adults and adolescents | All transmission categories | By County




Rate per 100,000 among selected population



Legend classified using quantiles according to 2013 data.

National Data By Age Group




Disclaimer: This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.

Data Source: Query and graphics are based on state or county-level HIV surveillance data. Data may include a combination of the following: HIV infection or stage 3 (AIDS) diagnoses, deaths among persons with HIV infection or stage 3 (AIDS), or persons living with HIV infection or stage 3 (AIDS); by area, year, race/ethnicity, sex, age group, and transmission category; shown in numbers and rates.

Notes: All displayed diagnoses of HIV infection and diagnoses of infection classified as stage 3 (AIDS) data have been statistically adjusted to account for reporting delays, but not for incomplete reporting. **For more info, see:** [HIV Surveillance Technical Notes](#). **Suggested citation:** Centers for Disease Control and Prevention (CDC) [NCHHSTP Atlas](#). Accessed on 01/13/2016.


Persons living with diagnosed HIV (2013)

All races/ethnicities | Female | 2013 | Adults and adolescents | All transmission categories | By County



Legend classified using quantiles according to 2013 data.

National Data By Race/ethnicity



Disclaimer: This is a user-generated report. The findings and conclusions are those of the user and do not necessarily represent the views of the CDC.

Data Source: Query and graphics are based on state or county-level HIV surveillance data. Data may include a combination of the following: HIV infection or stage 3 (AIDS) diagnoses, deaths among persons with HIV infection or stage 3 (AIDS), or persons living with HIV infection or stage 3 (AIDS); by area, year, race/ethnicity, sex, age group, and transmission category; shown in numbers and rates.

Notes: All displayed diagnoses of HIV infection and diagnoses of infection classified as stage 3 (AIDS) data have been statistically adjusted to account for reporting delays, but not for incomplete reporting. **For more info, see:** [HIV Surveillance Technical Notes](#). **Suggested citation:** Centers for Disease Control and Prevention (CDC) [NCHHSTP Atlas](#). Accessed on 01/13/2016.

NCHHSTP Atlas

National Center for HIV, Viral Hepatitis, STD and TB Prevention



To learn more about the diseases:

[HIV](#)

[Chlamydia, Gonorrhea, Syphilis](#)

[Acute Viral Hepatitis A, Acute Viral Hepatitis B, and Acute Viral Hepatitis C](#)

[Tuberculosis \(TB\)](#)

For data sources:

[HIV Statistics and Surveillance](#)

[STD Data & Statistics](#)

[Viral Hepatitis Statistics and Surveillance](#)

[TB Data and Statistics](#)

[Contact Atlas](#)